

**IN THE CLAIMS**

1. (Original) A picture recording apparatus for compression-encoding a moving picture sequence and recording the resultant data to a record medium, comprising:

encoding means for compression-encoding an input moving picture sequence;

recording means for recording the compression-encoded data generated by said encoding means to a record medium; and

picture generating means for extracting a plurality of pictures from the input moving picture sequence at irregular intervals and generating reduced pictures with the extracted pictures while the compression-encoded data being recorded to the record medium.

2. (Original) The picture recording apparatus as set forth in claim 1, further comprising:

photographing means for inputting a photographed moving picture sequence.

3. (Original) The picture recording apparatus as set forth in claim 1,

wherein when a compressing process and a recording process of the input moving picture sequence are completed, the reduced pictures are compression-encoded.

4. (Original) The picture recording apparatus as set forth in claim 1,

wherein while the compression-encoded data is being recorded to the record medium, the reduced pictures are generated and the generated reduced pictures are compressed.

5. (Previously Presented) The picture recording apparatus as set forth in claim 3,

wherein the compression-encoded data of the reduced pictures is recorded to the record medium or another record medium.

6. (Previously Presented) The picture recording apparatus as set forth in claim 3,

wherein the compression- encoded data of the reduced pictures are transmitted using a communication medium.

7. (Original) The picture recording apparatus as set forth in claim 1,

wherein while the compression-encoded data is being recorded to the record medium, the reduced pictures are generated, compressed, and recorded to the record medium or transmitted.

8. (Original) The picture recording apparatus as set forth in claim 1,

wherein said picture generating means extracts a plurality of pictures from the moving picture sequence at irregular intervals starting from the first picture when the moving picture sequence is compressed and recorded.

9. (Original) The picture recording apparatus as set forth in claim 1,

wherein said picture generating means detects a change of the input moving picture sequence and extract one picture at each change point of the input moving picture sequence while the moving picture sequence is being compressed and recorded.

10. (Currently Amended) A picture recording apparatus for compression-encoding a moving picture sequence and recording the resultant data to a record medium, comprising:

encoding means for compression-encoding an input moving picture sequence;  
recording means for recording the compression-encoded data generated by said encoding  
means to a record medium; and  
picture generating means for extracting a plurality of pictures from the input moving  
picture sequence at irregular intervals and generating reduced pictures with the extracted pictures  
while the compression-encoded data is recorded to the record medium, wherein said picture  
generating means detects a change of the input moving picture sequence and extracts one picture  
at each change point of the input moving picture sequence while the moving picture sequence is  
being compressed and recorded, and ~~The picture recording apparatus as set forth in claim 9,~~  
wherein as an index for detecting a change of the input moving picture sequence, the size of a  
block difference value corresponding to a detected moving vector is used.

11. (Currently Amended) A picture recording apparatus for compression-encoding a moving  
picture sequence and recording the resultant data to a record medium, comprising:

encoding means for compression-encoding an input moving picture sequence;  
recording means for recording the compression-encoded data generated by said encoding  
means to a record medium; and  
picture generating means for extracting a plurality of pictures from the input moving  
picture sequence at irregular intervals and generating reduced pictures with the extracted pictures  
while the compression-encoded data is recorded to the record medium, wherein said picture  
generating means detects a change of the input moving picture sequence and extracts one picture  
at each change point of the input moving picture sequence while the moving picture sequence is  
being compressed and recorded, wherein as an index for detecting a change of the input moving

picture sequence, the size of a block difference value corresponding to a detected moving vector is used, and The picture recording apparatus as set forth in claim 10, wherein said picture generating means generates reduced pictures with the extracted pictures starting from the first frame at constant intervals of the input moving picture sequence.

12 . (Original) The picture recording apparatus as set forth in claim 1,

wherein said encoding means has a memory for storing the input moving picture sequence to be compression-encoded,

wherein the memory has a memory area in which the reduced pictures are processed,

wherein the reduced pictures are stored in the memory area, and

wherein after the input moving picture sequence is completely compressed and recorded, the reduced pictures that are read from the memory area are compression-encoded and the compression-encoded data is recorded or transmitted.

13. (Original) The picture recording apparatus as set forth in claim 1,

wherein said encoding means has a memory for storing the input moving picture sequence to be compression-encoded,

wherein the memory has a memory area in which the reduced pictures are processed,

wherein compression-encoded data of the generated reduced pictures is stored in the memory area, and

wherein after the input moving picture sequence is completely compressed and recorded, the compression-encoded of the reduced pictures that are read from the memory area is recorded or transmitted.

14. (Original) A picture recording method for compression-encoding a moving picture sequence and recording the resultant data to a record medium, comprising the steps of:

- (a) compression-encoding an input moving picture sequence;
- (b) recording the compression-encoded data generated at step (a) to a record medium; and
- (c) extracting a plurality of pictures from the input moving picture sequence at irregular intervals and generating reduced pictures with the extracted pictures while the compression-encoded data being recorded to the record medium.

15. (Previously Presented) The picture recording apparatus as set forth in claim 4,

wherein the compression-encoded data of the reduced pictures is recorded to the record medium or another medium.

16. (Previously Presented) The picture recording apparatus as set forth in claim 4,

wherein the compression-encoded data of the reduced pictures are transmitted using a communication medium.